Apturi III SD Pro Gallery Series

Self-Dimmable Beam-Adjustable 97-CRI LED Integrated Track Luminaire

Introducing the Apturi III SD. A versatile, High-Lumen Full Spectrum 97 CRI Integrated LED luminaire with individual dimming control (Self-Dimmable).

When illuminating artwork and displays, uncompromising colour accuracy, beam-angle and lumen output control are critical. Now available with in a white or black surface finish offering your choice of 3000K or 4000K.

Consuming 15 watts, it produces over 1,400 lumens of light at full output. Strict colour binning ensures that light from each Apturi III LED track head looks the same from one to the next.

Beam-Adjustable
The elegant Apturi III is a precision gallery lighting instrument. A simple twist of the lens takes you from a narrow spot to broad wall-washing, with a range of 10 to 60 degrees.

Self-Dimmable
The rear dimming knob on each luminaire allows precise control over the lumen output - from 100% to 0.1% for the most subtle lighting effects. Optional snap-on light shaping accessories are also available for further control and tuning.

Track Compatible
Comes standard for H-type track systems (Halo-compatible). J (Juno) and L type (Lightolier) track connectors upon request. Conversions to other track connectors are also available.







Beam-adjustable optic offers a 10 degree narrow spot light to a 60 degree broad wall wash.



Quickly and easily tune the exact lux level you require for each artwork. Use the integrated dimming knob to adjust intensity from 0.1% to 100%.

Lumicrest LED Lighting
www.lumicrest.com email: quotes@lumicrest.com

1373 Queen St. W, Toronto ON, Canada M6K 1M1
Phone 416.479.0132 Toll free 1 877 910 1011

Data sheet Version: #20261117

Optional Accessories

Honeycomb Louver



The honeycomb louver is an excellent glare control solution. With a Honeycomb Louver installed, viewing the light source from an oblique angle is more comfortable as it greatly reduces side glare.

It mounts on the front of the luminaire using a small discreet mounting ring, which is available in white or black.

The honeycomb itself is only available in black to prevent unwanted reflections.

The honeycomb louver can be combined with barn doors.

Barn Doors



Barn doors are a versatile light-shaping tool, used to maintain focus on the work being lit and reducing or eliminating spill onto the surrounding wall or floor.

When used on a painting it can create the effect that the work is illuminated from within.

Barn doors mount on the front of the luminaire using a small discreet mounting ring, which can be white or black.

Available in black and white.

Short Snoot



The short snoot is an alternate glare control solution. The snoot hides the light source when viewed from an oblique angle, making the viewer experience more comfortable.

Mounts on the front of the luminaire.

Available in black and white.

Colorimetric Data at 3000K

Bridgelux Thrive





Lumicrest LED Lighting
www.lumicrest.com email: quotes@lumicrest.com

1373 Queen St. W, Toronto ON, Canada M6K 1M1
Phone 416.479.0132 Toll free 1 877 910 1011

Product Configuration by Code

A3-SD - CCT - FINISH - CONNECTOR - ACCESSORY (OPTIONAL)

Example:
A3-SD-30K-WH-HL-SN (Apturi3, Self-Dim, High Output 2 (30 watt), 3000K White Finish, Halo Connector, Snoot)

Colour Temperatures Order Codes:

LED Colour Temperature	Order Code
3000K 97 CRI	30K
4000K 97 CRI	40K

Finishes Order Codes:

Finish Colour	Order Code
White	WH
Black	BK

Track Connectors Order Codes:

Track Connector	Order Code
H-type (Halo Compatible)	HL
J-type (Juno Compatible)	JN
L-type (Lightolier Compatible)	LT
Proprietary gallery connector	PR

Light Shaping Accessories Order Codes:

Accessory	Order Code
Honeycomb	HC
Barn Door	BD
Snoot	SN